


копирал: Динева формат А3

(✓)



1.1 На размерные по IV^{му} классу точности.

2. Прогнозните за нех. обработка по IV клас на точност БДС 2229872




4. Гранични отклонения на размерите с непосредствени допуск по

4.1. Криву за време $(-t_2)$

4.2 Линейни размери - $(\pm \frac{t_2}{2})$

УНД № на опр.	Подпис и дата	Зам. унб. №	УНБ № дубл.	Подпис и дата
ВН 21-95	[Signature] 21.XII.92			
УНД	Линия док.	Подпис	Дата	
Разрад	Симеонова	16.1.	1989	
Пробер	Симеонова			
Технолог				
И-к оидеи	Грозев			
И-к компет				
Изборци				
24.874.02.01.06.02				КВМ ВН ЧФ.00
Главина				
35MI БДС 3492-86				
E		76	1:5	
Иуст 1 В. Иуста 1				
ТЕЦ "Маруца - изток 2"				

40



K 5M
B H 47.00

LUCK

11 1:10 E

BCm3cn5AC259274

74. Моруца
Узмок 2

100

Сумеронова

Прод. Симонова 14. 17.01.89

4-Komplex	TP03EB	11/11
-----------	--------	-------

И-Х КОМП	000
----------	-----

1000

Сумернова

Прод. Симонова 11/11 1989

22	4-romber	TP03e6			
----	----------	--------	--	--	--

И-Х КОМП		00
----------	--	----


20/ (✓)

[illegible]

24.874.02.01.06.04:2

E 683 1:10

TELE. МАДУГА.



DOMINION

20/ (✓)

E	1228	1:10
ИЕМ 1 Д. ИЕМ 1		
ТЕЧ. МАПУГА УМАК 2"		

Technical drawing of a mechanical part, showing three views: front view, top view, and side view.

Front View: A cylindrical part with a diameter of $\Phi 800$ and a length of 320. The end face features a chamfer with a 30° angle and a thickness of 20.

Top View: A circular cross-section showing a central hole with a diameter of 20.

Side View: A cross-section of the part, showing a 60° angle and a thickness of 3. The section is labeled A-A.